



FP AJ-5000



FP AJ-300/500



FP AJ-1000



FP AJ-2650/2800

G9@ !A 5=@9F

À

SMALL VOLUME ADDRESSING



: D!% \$\$Ž `G9@ !A 5=@9F
Ò&[} [{ ä&æ|ÁÚ!^••~!^ÁÛ^æ|ÁÛ[|~cã[}

Á

Á
The FPÉFí€ÉÉ cZZYfgU'i gYf!Zf]YbX'ma]Xl] c'i a Y'gc'i h]cb'Zcf'dfcWgg]b[
cbY!d]YVW`dfYgg] fY!gYbg[h]j Y'a U]Yfg'`#g]bhY[fUHYX'ci hdi h'Wtj Ymcf`
_YYdg'dfcWgg]Y'Zcfa g]b'U'bYUhz'gYei Ybh]U`cfXYF" H\Y`Vtã dUM'i
XYg_hcd`XYg] [b'UbX`YUgY`cZ'gYh]i d'UbX`cdYfU]h]cb'a U_Y'h]g]i b]h]XYU`
Zcf'dfcWgg]b[`XcW'a Ybhg]b'Ub'cZZ]W`Yb]]fcb'a Ybh'k]h`'a]Xl] c'i a Y`
Udd`]W]h]cbg`"

5`dfcWgg]b[`gdYYX`cZ'i d`hc`) ž&\$`Zcfa g'dYf`\ci f'UbX`h\Y`WdUV`]hm
cZ'dfcWgg]b[`%(í`Zcfa g'YbUV`Y`cdYfU]h]cb'a d`Yh`XU]`m`cVg'k]h`
YUgY" H\Y` : D!% \$\$Ž]g'Ub`YVtbcã]W]`gc'i h]cb'Vi]X'k]h`'ei U]`hm
UbX`fY`]UV`]hm]b'a]bX"

6HFLILFDWLRQV

•• - •• €	• ,f „... ft
• ‡	• ,f •^
%o	• ŠŠ ‡ ‡ CE ... ‡ ‡ CE fff
•• Ž€	- ' ' - •• , - ^ •f ,••
•"	' ""•^f
•	•• — • •%o
• f •	CE ‡ ‡ ‡ •... CE ‡ ‡ ‡ • fff
<	•™ ... š †
, € -)•• •	CE — •'

Á

0UEFí€ÉÉi+]] [, ^!áá^!0[: { æÉWU0EE

SPECIAL FEATURES

- ▶ ' URS , Q) H H G 6EiA] WÉH]P []Á^Áá
•^•c^ { Á] : [á ~ & ^ Á á ^ ^) á æ à | ^ Á ^ á á } * Á [- Á
- [: { • Á , á c @ Á } [Á] æ] ^ Á - æ } á } * Á ^ ~ á ^ á É
- ▶ , Q W H J U D W H G Á Ú : P C A Y H V Á E U
• ^ ~ ^) c á æ | Á • c æ & \ á } * Á [- Á] : [& ^ • • Á á - [: { • É
- ▶ & R P S D F W ' H V N W R V S ^ Á T H V É L i á Q] Á
á ^ • á * } Á] : [ç á á ^ Á ^ á æ ~ Á á } • c æ | æ c á [] Á æ } á Á [] ^ ! æ c á [] É
- ▶ ') R U P / H Q J W K & W S D A E C I Q L W \
] : [& ^ • • Á - [: { • Á ~] Á c [Á F I + á á] Á] ^ } * c @ É
- ▶) R O G 7 \ Á S H A V Z É Á Ö É Á W ^ ç ^ Á Z É Á W ^ ç ^ Á Á Ö É Á
P æ | - Á æ } á á & ~ • c [{ Á - [] á • É
- ▶ / (' , Q G L F D W [R - U a y] Á [] ^ ! æ c [i á , @ ^)
c @ ^ Á [] , ^ ! á • Á [] É á æ & [ç ^ ! á • Á [] ^ } É á c @ ^ Á } æ] ^ ! Á
i ~ } • Á [~ c á [] á æ á - æ ~ | c á [& & ~ i • É
- ▶ 3 U H 0 D U N H G 3 R S X T C D U & Ø R O G I V
- [] á á c ^ ^ Á [] Á - [: { Á • á : Á ^ ~ á á \ á æ } á á á æ • ^ É
- ▶ 5 H V H W W D E O H Ú : P C A Y H V Á E U
æ ~ á á c & [] c [] É

)OH[LEOH Á

V@^!0UEFí€ÉÉá@æ)á^!•áæ|çæ|á^c^Á[-Á^ç^Á]á}^Á
- [: { • Á ~] Á c [Á I F D G + á c F I + á á] & | ~ á á } * Á & @ ^ Á \ ^ É á } ç [á & ^ É Á
• & @ [[] Á ^ Á] [: c • É á c æ c á - [: { • á æ } á á æ] [] á c { ^ } c á } [c á & ^ É Á
Ú ! ^ • • ~ ! ^ Á ^ Á æ | Á { æ | ^ ! • á & æ } Á á ^ Á ~ • á á - [] á ç á i c ~ æ | ^ Á æ } ^ Á
æ]] á & æ c á [] Á c @ æ c & æ } Á á ^ Á] á } c ^ Á Á [] Á } ^ Á - [: { É Á

'XUDEOH Á

P^æç^Éá~c^Á•c^Á^Á&[]•c|~&cá[]Á[~^!•Ác@^Áá^Á^]ááæà|áç^Á
æ } á á [] , ^ ! Á ^ ç] ^ & c ^ á á [- Á æ] æ | * ^ ! Á ~ } á c á } á æ á { æ | ^ ! Á
] æ & \ æ ~ ^ É Á É Á] : [& ^ • • } * Á •] ^ á á [- Á ~] Á c [Á I É G € É Á - [: { • Á
] ^ ! Á @ [~ ! ^ Á] æ | ^ Á ^ Á æ } Á [] ^ ! æ c [] Á c [Á & [{ }] | ^ Á c á á æ | ^ Á b [á • Á
á } Á] Á c á { ^ É Á Ú ! ~ • É á c @ ^ Á á } c ^ ! ^ æ c ^ á á [~ c] ~ c á & [] ç ^ ^ [] Á ^ Á ^ } • Á
] : [& ^ • • Á á Á - [: { • á á } á æ á } ^ æ c É Á ^ ~ ^ } c á æ | Á [] á ^ i É

(DVH RI 2SHUDWLRQ

V@^!0UEFí€ÉÉá•áá^•á^Á- [] Á ~ • Á i É - i á ^ } á i ^ Á [] ^ ! æ c á [] É Á
Ú á []] ^ Á ^ c á ~ [~ ! Á [-] á • á æ & & [] á á } * Á c [Á c @ ^ Á ^ Á æ | ^ Á { æ | ^ Á á
• ^ c á } * Á •] Á c @ ^ Á - [] á á] | æ c ^ É Á [] æ á á ~ [~ ! Á - [: { • Á ~ } • Á c @ ^ Á
á i [] É á } Á - Á á á ^ • c ^ { É Á] ! ^ • • Á c æ i c á æ } á á ~ [] q i ^ Á [] Á ^ ~ ! Á
~ æ ~ É Á S Ö Ö á } á á æ c [: • Á @ [,] Á [] , ^ ! Á [] É Á - æ ~ | c á ^ Á c & c á [] É Á
] æ] ^ ! Á [~ c á æ } á á & [ç ^ ! Á [] ^ } É Á Ú c á æ | • [á á] & | ~ á ^ Á æ á • á æ É á á * á c á
& [~ } c ^ ! á æ } á á æ } á } c ^ ! ^ æ c ^ á á [~ c] ~ c á & [] ç ^ ^ [] i É

Á



fp-francotyp.asia

Á

ÚÁÉÍ ÍÁÍÍJÁÉÍÉF
ØÁÉÍ ÍÁÍÍJÁÉÍÍ
•æ|^O-|æ)&[c]É&[{É•*
)UDQFRW\ S 3RVWDOLD \$VLD
GJÁVæáÚ^)*ÁÉç^~^ÉÁÉÍÉÍ
Pæc~!æ|ÁÔ[[]ÁŠá^c^Á^ÁP~á
Úá)*æ][^ÁÍHÍFFJ

DESKTOP ADDRESSING SYSTEMS

FP AJ-1000

The versatile FP AJ-1000 has a feed system that has three rows of high grip rollers and the capacity for materials up to 1/4" thick. A key feature is the split 3+2 printhead configuration that allows mailers to print the recipient address, return address, and permit indicia all in a single pass. It is capable of printing IMB, including USPS® Delivery Point Barcodes, to qualify for lower postal rates and faster delivery.

system specifications	AJ-1000
Speed	up to 30,000 pieces per hr.
Print quality	from 150 to 600 dpi
Print area	2.5" x 15" w/ 9" vertical range
Material size	length (5" to 15"), width (3" to 13.5")
Material thickness	up to 1/4"
Dimensions	11.5" (H) x 19.56" (L) x 20" (W)
Weight	69 lbs.
Print technology	HP45A Inkjet



SPECIAL FEATURES

- ▶ 2.5" of print from two print modules
- ▶ Clutch-control integrated feeder
- ▶ Electronic thickness control (1/4")
- ▶ Parallel and high-speed USB 2.0 port

FP AJ-2650 and FP AJ-2800

Print graphics, logos, and barcodes at up to 600 dpi with the FP AJ-2650 a six-head printer, and FP AJ-2800, an eight-head printer. A key feature is the split multiple printhead configuration that allows mailers to print the recipient address, return address, and permit indicia all in a single pass. Built-in cartridge station keeps your mailroom tidy and extends the life of print cartridges, helping save on expenses and environmental impact. Unique top-load feed mechanism quickly processes up to 750 #10 envelopes at up to 3/8" thickness. Visible ink level display helps ensure mailroom productivity.

system specifications	AJ-2650/AJ-2800
Speed	up to 36,000 pieces per hr.
Print quality	from 150 to 600 dpi
Print area	3" x 17" w/ 11" vertical range (AJ-2650) 4" x 17" w/ 11" vertical range (AJ-2800)
Material size	length (5" to 17"), width (3" to 13.5")
Material thickness	up to 3/8"
Dimensions	23" (H) x 28" (L) x 22" (W)
Weight	90 lbs.
Print technology	HP45A Inkjet



SPECIAL FEATURES

- ▶ Up to 4" of stitched printing in one pass
- ▶ Built-in cartridge station
- ▶ Parallel and high-speed USB 2.0 port
- ▶ Optional conveyor/stacker and drop tray



P +65 6749 0601
 F +65 6749 0277
 info.asia@francotyp.com.sg

Francotyp-Postalia Asia Pte Ltd
 29 Tai Seng Avenue, #06-05
 Natural Cool Lifestyle Hub
 Singapore 534119